




# SAFETY DATA SHEET

## 1. Identification

Product identifier	CGC Red Top® Lime
Other means of identification	
SDS number	53001010001
Recommended use	Neutralization, flocculation, stabilization, polishing, masonry mortar, plaster, stucco, fresco paints and lime wash.
Recommended restrictions	None known.
Manufacturer/Importer/Supplier/Distributor information	
Company name	CGC Inc.
Address	350 Burnhamthorpe Road West, 5th Floor Mississauga, Ontario L5B 3J1 A Subsidiary of USG Corporation
Telephone	1-800-387-2690
Website	www.cgcinc.com
Emergency phone number	CANUTEC (613-996-6666)

## 2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 1
	Carcinogenicity	Category 1A
	Specific target organ toxicity following single exposure	Category 3 respiratory tract irritation
	Specific target organ toxicity following repeated exposure (inhalation)	Category 1 (kidneys, Respiratory tract, testes)
Environmental hazards	Not classified.	
Label elements		

Signal word Danger

Hazard statement Causes skin irritation. Causes serious eye damage. May cause respiratory irritation. May cause cancer. Causes damage to organs (kidneys, Respiratory tract, testes) through prolonged or repeated exposure by inhalation.

### Precautionary statements

#### Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.

#### Response

IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Take off contaminated clothing and wash it before reuse. IF exposed or concerned: Get medical advice/attention.

#### Storage

Store in a well-ventilated place. Keep container tightly closed. Store locked up.

#### Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards None known.

Supplemental information None.

### 3. Composition/information on ingredients

#### Mixtures

Chemical name	CAS number	%
Calcium magnesium dihydroxide oxide	58398-71-3	60 - 100
Calcium magnesium tetrahydroxide	39445-23-3	60 - 100
Calcium hydroxide	1305-62-0	30 - 60
Crystalline silica (quartz)	14808-60-7	0.0001 - 1

**Composition comments** Crystalline silica has been found in some products at or above detection level 0.1%. Concentration is dependent upon limestone source.

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### 4. First-aid measures

**Inhalation** Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

**Skin contact** Get medical attention immediately. Call a poison control center or physician. Flush contaminated skin with plenty of water. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 20 minutes. Chemical burns must be treated promptly by a physician. Wash contaminated clothing before reuse. Thoroughly clean shoes before reuse.

**Eye contact** Get medical attention immediately. Call a poison control center or physician. Immediately flush with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 20 minutes. Chemical burns must be treated promptly by a physician.

**Ingestion** Get medical attention immediately. Call a poison control center or physician. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if exposed person feel sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

**Most important symptoms/effects, acute and delayed** Causes serious eye damage. Symptoms include itching, burning, redness and tearing. May cause respiratory irritation. Effects on exposure by inhalation may include sore throat, cough, burning sensation, shortness of breath and labored breathing. Causes skin irritation. May cause pain, irritation, redness, or blistering. Ingestion may cause vomiting, nausea or other systemic effects.

**Indication of immediate medical attention and special treatment needed** Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

**General information** No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation without an appropriate barrier. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

### 5. Fire-fighting measures

**Suitable extinguishing media** Use extinguishing agent suitable for type of surrounding fire.

**Unsuitable extinguishing media** None known.

<b>Specific hazards arising from the chemical</b>	No specific fire or explosion hazard.
<b>Special protective equipment and precautions for firefighters</b>	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
<b>Fire fighting equipment/instructions</b>	No special measures required.

## 6. Accidental release measures

<b>Personal precautions, protective equipment and emergency procedures</b>	No action shall be taken involving any personal risk or without suitable training. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. In case of inadequate ventilation, use respiratory protection. Put on appropriate personal protective equipment.  If specialized clothing is required to deal with the spillage, take note of any information in section 8 on suitable and unsuitable materials.
<b>Methods and materials for containment and cleaning up</b>	Move containers from spill area. Approach release from upwind. Prevent entry into waterways, sewer, basements or confined areas. Avoid dust formation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and placed in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.
<b>Environmental precautions</b>	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

## 7. Handling and storage

<b>Precautions for safe handling</b>	Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes, on skin, on clothing. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous.  Eating, drinking, and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. See also Section 8 for additional information on hygiene measures.
<b>Conditions for safe storage, including any incompatibilities</b>	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10), food and drink. Store to minimize dust generation. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

## 8. Exposure controls/personal protection

### Occupational exposure limits

#### US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Calcium hydroxide (CAS 1305-62-0)	TWA	5 mg/m3	
Crystalline silica (quartz) (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.

#### Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

Components	Type	Value	Form
Calcium hydroxide (CAS 1305-62-0)	TWA	5 mg/m3	
Crystalline silica (quartz) (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable particles.

#### Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

Components	Type	Value	Form
Calcium hydroxide (CAS 1305-62-0)	TWA	5 mg/m3	

**Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)**

Components	Type	Value	Form
Crystalline silica (quartz) (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.

**Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)**

Components	Type	Value	Form
Calcium hydroxide (CAS 1305-62-0)	TWA	5 mg/m3	
Crystalline silica (quartz) (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.

**Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)**

Components	Type	Value	Form
Calcium hydroxide (CAS 1305-62-0)	TWA	5 mg/m3	
Crystalline silica (quartz) (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable.

**Canada. Quebec OELs. (Ministry of Labour - Regulation Respecting the Quality of the Work Environment)**

Components	Type	Value	Form
Calcium hydroxide (CAS 1305-62-0)	TWA	5 mg/m3	
Crystalline silica (quartz) (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable dust.

<b>Biological limit values</b>	No biological exposure limits noted for the ingredient(s).
<b>Exposure guidelines</b>	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.
<b>Appropriate engineering controls</b>	Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. Engineering controls may be required to control primary or secondary risks associated with this product.
<b>Individual protection measures, such as personal protective equipment</b>	
<b>Eye/face protection</b>	Safety eye wear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield. If inhalation hazards exist, a full-face respirator may be required instead.
<b>Skin protection</b>	
<b>Hand protection</b>	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
<b>Other</b>	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
<b>Respiratory protection</b>	Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Wear appropriate NIOSH respirator when ventilation is inadequate and occupational exposure limits are exceeded.
<b>Thermal hazards</b>	None.
<b>General hygiene considerations</b>	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

## 9. Physical and chemical properties

### Appearance

<b>Physical state</b>	Solid.
-----------------------	--------

<b>Form</b>	Fine powder.
<b>Colour</b>	White.
<b>Odour</b>	Sweet, Soil-like
<b>Odour threshold</b>	Not available.
<b>pH</b>	12.5 (Saturated solution) at 25 °C
<b>Melting point/freezing point</b>	Not available.
<b>Initial boiling point and boiling range</b>	Not available.
<b>Flash point</b>	Not applicable.
<b>Evaporation rate</b>	Not available.
<b>Flammability (solid, gas)</b>	Not applicable.
<b>Upper/lower flammability or explosive limits</b>	
<b>Flammability limit - lower (%)</b>	Not applicable.
<b>Flammability limit - upper (%)</b>	Not applicable.
<b>Explosive limit - lower (%)</b>	Not applicable.
<b>Explosive limit – upper (%)</b>	Not applicable.
<b>Vapour pressure</b>	Not available.
<b>Vapour density</b>	Not available.
<b>Relative density</b>	2.2 - 2.6
<b>Solubility(ies)</b>	
<b>Solubility (water)</b>	0.1 g/100g at 20 °C
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Auto-ignition temperature</b>	Not applicable.
<b>Decomposition temperature</b>	345 °C (653 °F)
<b>Viscosity</b>	Not available.
<b>Other information</b>	
<b>VOC (Weight %)</b>	0 % w/w

## 10. Stability and reactivity

<b>Reactivity</b>	No specific test data related to the reactivity is available for this product or its ingredients.
<b>Chemical stability</b>	The product is stable.
<b>Possibility of hazardous reactions</b>	None known.
<b>Conditions to avoid</b>	Contact with incompatible materials.
<b>Incompatible materials</b>	Water. Acids, reactive fluoridated, brominated or phosphorous compounds; aluminum, reactive powdered metals; organic acid anhydrides; nitro-organic compounds; interhalogenated compounds and oxidizing materials
<b>Hazardous decomposition products</b>	None known.

## 11. Toxicological information

### Information on likely routes of exposure

<b>Inhalation</b>	May cause respiratory irritation.
<b>Skin contact</b>	Causes skin irritation.
<b>Eye contact</b>	Causes serious eye damage.
<b>Ingestion</b>	No adverse effects due to ingestion are expected.

**Symptoms related to the physical, chemical and toxicological characteristics**

Causes serious eye damage. Symptoms include itching, burning, redness, and tearing of eyes. May cause respiratory irritation. Effects on exposure by inhalation may include sore throat, cough, burning sensation, shortness of breath and labored breathing. Causes skin irritation. May cause pain, irritation, redness, or blistering. Ingestion may cause vomiting, nausea or other systemic effects.

**Information on toxicological effects****Acute toxicity**

Components	Species	Test results
Calcium hydroxide (CAS 1305-62-0)		
<b>Acute</b>		
<i>Oral</i>		
LD50	Rat	7340 mg/kg

**Skin corrosion/irritation**

Causes skin irritation.

**Serious eye damage/eye irritation**

Causes serious eye damage.

**Respiratory or skin sensitisation****Canada - Alberta OELs: Irritant**

Calcium hydroxide (CAS 1305-62-0)

Irritant

**Respiratory sensitisation**

No known significant effects or critical hazards.

**Skin sensitisation**

No data available.

**Germ cell mutagenicity**

No known significant effects or critical hazards.

**Carcinogenicity**

May cause cancer by inhalation. Risk of cancer depends on duration and level of exposure.

**ACGIH Carcinogens**

Crystalline silica (quartz) (CAS 14808-60-7)

A2 Suspected human carcinogen.

**Canada - Alberta OELs: Carcinogen category**

Crystalline silica (quartz) (CAS 14808-60-7)

Suspected human carcinogen.

**Canada - Manitoba OELs: carcinogenicity**

SILICA, CRYSTALLINE-.ALPHA.-QUARTZ,  
RESPIRABLE FRACTION (CAS 14808-60-7)

Suspected human carcinogen.

**Canada - Quebec OELs: Carcinogen category**

Crystalline silica (quartz) (CAS 14808-60-7)

Suspected carcinogenic effect in humans.

**IARC Monographs. Overall Evaluation of Carcinogenicity**

Crystalline silica (quartz) (CAS 14808-60-7)

1 Carcinogenic to humans.

**Reproductive toxicity**

No known significant effects or critical hazards.

**Specific target organ toxicity - single exposure**

May cause respiratory irritation.

**Specific target organ toxicity - repeated exposure**

Causes damage to organs (kidneys, respiratory tract, testes) through prolonged or repeated exposure by inhalation.

**Aspiration hazard**

No data available.

**12. Ecological information****Ecotoxicity**

Components	Species		Test results
Calcium hydroxide (CAS 1305-62-0)			
Aquatic			
Fish	LC50	Zambezi barbel (Clarias gariepinus)	33.8844 mg/l, 96 hours
Persistence and degradability	No data available.		
Bioaccumulative potential	No data available.		
Mobility in soil	No data available.		
Other adverse effects	No known significant effects or critical hazards.		

### 13. Disposal considerations

<b>Disposal instructions</b>	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any byproducts should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. Care should be taken when handling empty containers that have not been cleaned or rinsed out.
<b>Local disposal regulations</b>	Dispose of in accordance with local regulations.
<b>Hazardous waste code</b>	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
<b>Waste from residues / unused products</b>	Dispose of in accordance with local regulations.
<b>Contaminated packaging</b>	Dispose of in accordance with local regulations.

### 14. Transport information

<b>TDG</b>	Not regulated as dangerous goods.
<b>IATA</b>	Not regulated as dangerous goods.
<b>IMDG</b>	Not regulated as dangerous goods.
<b>Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</b>	Not available.
<b>General information</b>	Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

### 15. Regulatory information

<b>Canadian regulations</b>	This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.	
<b>Controlled Drugs and Substances Act</b>	Not regulated.	
<b>Export Control List (CEPA 1999, Schedule 3)</b>	Not listed.	
<b>Greenhouse Gases</b>	Not listed.	
<b>Precursor Control Regulations</b>	Not regulated.	
<b>International regulations</b>		
<b>Stockholm Convention</b>	Not applicable.	
<b>Rotterdam Convention</b>	Not applicable.	
<b>Kyoto protocol</b>	Not applicable.	
<b>Montreal Protocol</b>	Not applicable.	
<b>Basel Convention</b>	Not applicable.	
<b>International Inventories</b>		
<b>Country(s) or region</b>	<b>Inventory name</b>	<b>On inventory (yes/no)*</b>
Canada	Domestic Substances List (DSL)	No

<b>Country(s) or region</b>	<b>Inventory name</b>	<b>On inventory (yes/no)*</b>
Canada	Non-Domestic Substances List (NDSL)	Yes

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).  
A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information

<b>Issue date</b>	16-May-2016
<b>Revision date</b>	-
<b>Version No.</b>	01
<b>Further information</b>	Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe
<b>NFPA ratings</b>	Health: 3 Flammability: 0 Instability: 1

### NFPA ratings



### Disclaimer

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.